

SYNAMETRICS TECHNOLOGIES

Synametrics Mail Junction

Mail Junction User's Guide

SYNAMETRICS TECHNOLOGIES, INC

Mail Junction User's Guide

© Synametrics Technologies, Inc.
A division of IndusSoft Technologies, Inc.
27 Sand Hill Ct. Jamesburg, NJ 08831
Phone 732.605.7086 • Fax 732.656.9745

Table of Contents

MESSAGE FLOW	1
SYSTEM REQUIREMENTS	ERROR! BOOKMARK NOT DEFINED.
INSTALLATION	ERROR! BOOKMARK NOT DEFINED.
MICROSOFT WINDOWS	ERROR! BOOKMARK NOT DEFINED.
UNIX AND LINUX	ERROR! BOOKMARK NOT DEFINED.
STOPPING AND STARTING MAIL JUNCTION ..	ERROR! BOOKMARK NOT DEFINED.
WINDOWS	ERROR! BOOKMARK NOT DEFINED.
LINUX AND UNIX	ERROR! BOOKMARK NOT DEFINED.
CONNECTING FROM A BROWSER ..	ERROR! BOOKMARK NOT DEFINED.
LOGGING IN	ERROR! BOOKMARK NOT DEFINED.
MAIN MENU	4
PROFILES ..	ERROR! BOOKMARK NOT DEFINED.
MAIL PROFILE ..	ERROR! BOOKMARK NOT DEFINED.
<i>Adding new Mail Profile</i>	<i>Error! Bookmark not defined.</i>
CONFIGURING YOUR EMAIL SERVER FOR A MAIL PROFILE ..	ERROR! BOOKMARK NOT DEFINED.
USER PROFILE ..	ERROR! BOOKMARK NOT DEFINED.
<i>Adding New User Profile</i>	<i>Error! Bookmark not defined.</i>
<i>User Tiers</i>	<i>Error! Bookmark not defined.</i>
TEMPLATES	9
ADDING TEMPLATES	ERROR! BOOKMARK NOT DEFINED.

Introduction

Consolidate, Collaborate, Communicate

Mail Junction is an email management tool providing a single point of access to emails within an enterprise. It is a tool for organizing, distributing, and filtering incoming email messages and accurately and efficiently responding to them in a timely fashion.

Mail Junction allows you to monitor unlimited number of email accounts. Typically, you would let Mail Junction manage accounts that are shared by multiple individuals in your company, for example sales, support, marketing, etc. This provides a centralized mechanism to view, reply, and search messages sent to such accounts. In Mail Junction's speak such accounts are called "Managed Accounts".

With Mail Junction you can:

- ★ Consolidate – Gather emails to a central repository
- ★ Collaborate – Efficiently collaborate with colleagues and clients
- ★ Communicate – Track a complete thread of communication


Message Flow

The following section explains how messages are handled by Mail Junction.

- ★ You decide which email addresses should be treated as managed accounts, for example sales@yourcompany.com and support@yourcompany.com
- ★ For every managed account you create a "Profile" in Mail Junction
- ★ Messages can be received from multiple channels, such as POP3, IMAP or SMTP

SYNAMETRICS MAIL JUNCTION

- ★ Every message that is received by Mail Junction is first processed by customizable rules that can send auto-replies, delete or assign messages to users.



Connecting to server

Mail Junction is a server based product. Messages come to a central repository. You can easily view, search and reply to the messages in this repository from any machine using a browser.

Prerequisites

Before you can connect to Mail Junction, your administrator should provide you with the following information.

Field	Description
Connection URL	The URL you will use to connect from your browser. For example, <code>http://mailjunction.yourcompany.com:9500</code>
User ID	This is the user id you will use to connect to the server.
Password	Your password for connection

Connecting to server

Open up the browser on your machine. Supported browsers are Internet Explorer and Mozilla Firefox. Type the “Connection URL” provided by your administrator in the browser window.

SYNAMETRICS MAIL JUNCTION




Main Menu

Following screens show the main menu screen. This is used as a front door to other options.

This screen displays all the profiles that you associated with your account. It will also display the number of open tickets for your tier.

SYNAMETRICS MAIL JUNCTION



Managing Tickets

A new incoming email automatically creates a ticket on Mail Junction. Every ticket is referred by its “Ticket Number”. Several messages belonging to the one email conversation will have same ticket number. Following table shows the sequence of events that occur in Mail Junction

1. Mary sends an email from the Internet to sales@yourcompany.com
2. This message is received by Mail Junction and a ticket number is assigned. Let’s say that ticket number is 00001234
3. You connect to Mail Junction and want to send a reply to this message. Mail Junction will modify the subject line of the message and will put the ticket number in the reply.
4. Mary gets your message and sends another reply.
5. Now you have three messages (two from Mary and one from you) having the same ticket number.

SYNAMETRICS MAIL JUNCTION

Every ticket is assigned a status, which can be one of the following values

- Open – Default status for new messages
- Close – Default status once reply is sent
- Outgoing – New outgoing message

Besides the above status, every email can have optional characteristics like “Feature Request” and “Bug”. Users can search existing messages using these characteristics as well.

Viewing Tickets

The screenshot shows the Synametrics Mail Junction web interface. The browser title is "Synametrics Mail Junction - Version 2.5, build 103 - Mozilla Firefox". The address bar shows the URL: <http://localhost:9500/MailJunction/FrontController?operation=23&tno=000000036>. The interface includes a navigation menu with "Server Status" and "Logout". Below the menu are three search filters: "Search Emails by Contents" (with "Search Words" and "Search In" dropdowns), "Search by Ticket #" (with "Ticket Number" input), and "Keyword Filters" (with "Ticket Status" and "Ticket Date" dropdowns). A "Compose new email" section is visible above the ticket list. The ticket list has buttons for "Close Ticket", "Change Status", "Delete Ticket", and "Change Tier". An "Assign selected tickets to:" dropdown is set to "John Baker". The ticket list table is as follows:

<input type="checkbox"/>	Ticket #	Sender Name	Status	Subject	Last Mail	Tier	Assigned To
<input type="checkbox"/>	000000033 (1)	"John Smith"	Open	Hello	7/15/05 6:09 PM	1	None
<input type="checkbox"/>	000000020 (1)	Imran Hussain	Open	Quoted stuff	7/6/05 8:37 AM	1	None
<input type="checkbox"/>	000000019 (1)	Imran Hussain	Open	This is a test	7/6/05 8:33 AM	1	None
<input type="checkbox"/>	000000018 (4)	Imran	Open	Demo support 3	6/23/05 2:26 PM	1	None
<input type="checkbox"/>	000000017 (1)	<>	Open	Demo support 2	6/23/05 1:48 PM	1	None
<input type="checkbox"/>	000000016 (1)	<>	Open	Demo support	6/23/05 1:48 PM	1	None

After you select a profile, Mail Junction will display tickets associated with that profile. By default only those tickets are displayed that are marked as “Open”.

Modifying Viewing Options


Different types of filters are used to restrict messages that are displayed when viewing tickets. These filters are listed below.

SYNAMETRICS MAIL JUNCTION

1. Status filter – display open, close, outgoing, feature request or bugs
2. Date filter – specify a time span
3. Tier filter – display messages for a particular tier
4. Ticket number – specify a ticket number
5. Searching by content – specify content. This can be subject, body or both.

Changing Ticket Status

You can change status of one or more tickets by selecting the desired tickets and clicking on Change Status link




The above is used to change the status of any existing ticket by selecting the desired values from the combo box.

SYNAMETRICS MAIL JUNCTION

Closing Open tickets

Although open tickets can be closed using the “Status Modification” screen, an easier way is to click on the “Close Ticket” link on the main screen.



The screenshot shows the Mail Junction interface. At the top, there is a link for "Compose new email" and a status indicator "Displaying record number 1 to 6 - Page 1 of 1". Below this is a navigation bar with "First | Previous | 1 2 3 4 5 6". A row of action buttons includes "Close Ticket", "Change Status", "Delete Ticket", and "Change Tier". Below the buttons is a table of tickets:

<input type="checkbox"/>	Ticket #	Sender Name	Status	
<input checked="" type="checkbox"/>	000000039 (1)	Sarah Jackson	Open	Can I import data f
<input checked="" type="checkbox"/>	000000037 (1)	Mariam Tapia	Open	Need pricing for Wi
<input checked="" type="checkbox"/>	000000033 (1)	"John Smith"	Open	Hello
<input type="checkbox"/>	000000012 (4)		Open	Demo support 3
<input type="checkbox"/>	000000012 (4)		Open	Demo support 2

A green callout bubble with a pointer to the first three rows of the table contains the text: "Select desired tickets and click above links to change status of a ticket".

Deleting tickets

You can delete ticket just like to you close them. Once a ticket is deleted, it will be removed from the local disk and cannot be retrieved unless you restore the data from a backup.


Composing Replies

To compose a reply for an existing email select the desired message from the Message List, and click the “Post Reply”. Mail Junction will automatically paste a copy of the original message towards the bottom of your reply.

Spell Checking

Mail Junction comes with a built-in spell checker that can be used to correct spellings after your compose any reply. To perform spell check simply click the spell Check button.

SYNAMETRICS MAIL JUNCTION



The built-in spell checker displays incorrect spellings in red. You may click these red links to invoke a pop-up menu that has suggestions. If you do not see a valid suggestion, you can type a new value or make the spell checker add this word in its memory.

Attaching files

To attaching files to outgoing message click the “Attach Files” button. From the next screen select the files you wish to attach

Templates

Templates are predetermined answers for commonly asked questions, such as product information and pricing. Users can quickly apply these templates to any outbound message instead of writing a message from scratch.

SYNAMETRICS MAIL JUNCTION

Templates are created by system administrators and are always pasted towards the beginning of the message. To paste a template, select the desired name from the pick list and hit apply.

